







ROMA INSULATION SYSTEMS

Accessories catalog






Flashings and accessories


SO EVERYTHING FITS. **ROMA**

ROOFING ACCESSORIES

		max. L (mm)	DIM a	Item no.
	Verge profile	6000	150	1001011
	of galvanized sheet steel	6000	200	1001012
	with paint finish	6000	250	1001013
	Verge profile	4000	88 (DU0)	1001015
	of galvanized sheet steel	4000	98 (D072)	1001016
	with paint finish	4000	108 (D082)	1001017
		4000	128 (D102)	1001018
		4000	148 (D122)	1001019
		6000	168 (D142)	1001020
		6000	188 (D162)	1001021
		6000	208 (D182)	1001014
	Shed roof end section	6000		1001022
	of galvanized sheet steel with paint finish (specify roof pitch)			
	Shed roof end section	4000	90 (DU0)	1001024
	of galvanized sheet steel	4000	100 (D072)	1001025
	with paint finish	4000	110 (D082)	1001026
		4000	130 (D102)	1001027
	(specify roof pitch)	4000	150 (D122)	1001028
		6000	170 (D142)	1001029
		6000	190 (D162)	1001030
		6000	210 (D182)	1001023
	Gutter inlet section	6000		1001031
	of galvanized sheet steel with paint finish (specify roof pitch)			
	Water deflector	6000	80 (DU0)	1001032
	of galvanized sheet steel	6000	90 (D072)	1001033
	with paint finish	6000	100 (D082)	1001034
		6000	120 (D102)	1001035
	(specify roof pitch)	6000	140 (D122)	1001036
		6000	160 (D142)	1001037
		6000	180 (D162)	1001038
		6000	200 (D182)	1001039

ROOFING ACCESSORIES





		max. L (mm)	DIM a	Item no.
	Wall connection	6000	200	1001040
	of galvanized sheet steel	6000	230	1001041
	with paint finish	6000	250	1001042
		6000	290	1001043
	(specify roof pitch)			
	Ridge flashing	6000	200	1001005
	of galvanized sheet steel	6000	250	1001006
	with paint finish	6000	287	1001007
		6000	350	1001008
	(specify roof pitch)			
	Internal ridge flashing	6000	154	1001009
	of galvanized sheet steel	6000	250	1001010
	with paint finish			
	(specify roof pitch)			
	Leveling profile	6000		1000916
	of galvanized sheet steel with paint finish			
	Sprocket profile			1000917
	of galvanized sheet steel with paint finish in lengths of 1020mm			








Trapezoidal sheet with protective film, compatible with ROMA quick-assembly roof panels.
Effective width 1000mm, max. length 10000mm

0.6mm galvanized sheet steel, painted, standard colors	1004294
0.75mm galvanized sheet steel, painted, RAL 3009, 7016, 9002, 9006, 9010	1004395
0.6mm galvanized sheet steel, painted, special colors	1004396
0.7mm aluminum painted RAL 9001, 9006	1004397






ROOFING ACCESSORIES

	Item no.
Trapezoidal polyester translucent sections, compatible with ROMA quick-assembly roof panels, (k = 5.8 W/(m ² •K)), in lengths of:	
6000mm	1004476
6000mm cutting	1004475
5000mm	1004177
5000mm cutting	1004303
	
Sealing tape, single-sided adhesive	
9 x 5mm (20m roll)	1003965
19 x 10mm (10m roll)	1003966
19 x 20mm (5m roll)	1003967
	
Filling tape, top side	
30mm wide, 1000mm long	1003968
Filling tape, top side, self-adhesive	
30mm wide, 1000mm long	1001691
	
Filling tape, reverse side	
30mm wide, 1000mm long	1003969
	
Fixing caps	
with neoprene seals vulcanized in place	
aluminum, RAL 3009, 7016, 9002, 9006	1003883
aluminum, customized paint colors	1003882







WALL ACCESSORIES

	max. L (mm)	DIM a x (b)	Item no.	
			undrilled	pre-drilled
			Anodized aluminum angle natural finish in fixed lengths of 6000mm	
	40/40/2		1000755	1005646
	60/60/4		1004694	
			1004390	1005622
			Anodized aluminum curved section natural finish in fixed lengths of 6000mm	
	4000	40 x 40	1000935	1000936
	6000	50 x 50	1000939	1000940
	6000	60 x 60	1000941	1000942
	6000	85 x 85	1000949	1000950
	6000	40 x 60	1000951	1000952
	6000	40 x 80	1000953	1000954
	6000	40 x 100	1000955	1000956
	6000	40 x 120	1000957	1000958
			Inside corner angle multiple bended to curved section made of galvanized sheet steel	
	4000		1000943	1000944
	4000		1000945	1000946
	4000		1000947	1000948
			- with paint finish - with RAL 9001, 9010 PVC film coating - made of 0.6mm stainless steel bright	
	6000	50	1006225	1006224
	6000	60	1005398	1005397
	6000	80	1000898	1000899
	6000	100	1000900	1000901
	6000	120	1000902	1000903
	6000	140	1000904	1000905
	6000	160	1000906	1000907
	6000	180	1000908	1000909
	6000	210	1000910	1000911
	6000	240	1000912	1000913
	6000	260	1000914	1000915


WALL ACCESSORIES

	max. L (mm)	DIM a	Item no.	
			undrilled	pre-drilled
	6000	60	1000878	1000879
	6000	80	1000880	1000881
	6000	100	1000882	1000883
	6000	120	1000884	1000885
	6000	140	1000886	1000887
	6000	160	1000888	1000889
	6000	180	1000890	1000891
	6000	210	1000892	1000893
	6000	240	1000894	1000895
	6000	260	1000896	1000897
	4000	47		1001081
	4000	62		1001082
	4000	82		1001083
	4000	102		1001084
	4000	122		1001085
	4000	142		1001086
	4000	172		1001087
	4000	202		1001088
4000	222		1001089	
	4000	47		1001090
	4000	62		1001091
	4000	82		1001092
	4000	102		1001093
	4000	122		1001094
	4000	142		1001095
	4000	172		1001096
	4000	202		1001097
	4000	222		1001098
	4000	47	1000926	
	6000	62	1000927	
	6000	82	1000928	
	6000	102	1000929	
	6000	122	1000930	
	6000	142	1000931	
	6000	172	1000932	
	6000	202	1000933	
	6000	222	1000934	
	6000	100	1006227	1001115
	6000	140	1006228	1001116
	6000	180	1006229	1001117
	6000	210	1006230	1001118
	6000	250	1006231	1001119

WALL ACCESSORIES

	max. L (mm)	DIM a	Item no.	
			undrilled	pre-drilled
	4000	40	1001102	
	4000	60	1001103	
	4000	40	1000977	1000978
	4000	60	1000979	1000980
	6000	80	1000981	1000982
	6000	100	1000983	1000984
	6000	120	1000985	1000986
	6000	60	1001104	
	6000	75	1001105	
	6000	95	1001106	
	6000	115	1001107	
	6000	135	1001108	
	6000	155	1001109	
	6000	185	1001110	
	6000	215	1001111	
	6000	235	1001112	
	4000		1001113	
	6000	100	1001136	
	6000	115	1001138	
	6000	135	1001140	
	6000	155	1001142	
	6000	175	1001144	
	6000	195	1001146	
	6000	225	1001148	
	6000	255	1001150	
	6000	275	1001152	
	6000	47	1000960	
	6000	62	1000962	
	6000	82	1000964	
	6000	102	1000966	
	6000	122	1000968	
	6000	142	1000970	
	6000	172	1000972	
	6000	202	1000974	
	6000	222	1000976	

WALL ACCESSORIES




Outside corner plate with equal legs,
of galvanized sheet steel, with paint finish

Panel thickness	max. L (mm)	DIM a	Item no.
60 - 100mm	4000	156	1001124
120 - 200mm	4000	256	1001126

Retaining angle section
made of 1.5mm galvanized sheet steel

Panel thickness	max. L (mm)	DIM a	Item no.
60 - 100mm	4000	156	1001125
120 - 200mm	4000	256	1001127

Example detail for 1001124



External corner plate, curved,
of galvanized sheet steel, with paint finish


Panel thickness	max. L (mm)	DIM a	Item no.
60 - 100mm	4000	156	1001128
120 - 200mm	4000	256	1001130

Retaining angle section
made of 1.5mm galvanized sheet steel

Panel thickness	max. L (mm)	DIM a	Item no.
60 - 100mm	4000	156	1001129
120 - 200mm	4000	256	1001131

Example detail for 1001128

Cover profile 2mm



Aluminum pilaster strip profile
for concealed fixed wall elements


Fixed length (mm)	DIM a	Item no.
6000	100	1005617
6000	140	1005618

Cover profile Item no. 1005619

Set article consisting of Aluminum pilaster strip profile
and cover profile

Fixed length (mm)	DIM a	Item no.
6000	100	1005620
6000	140	1005621






Cover strip 3mm



= drill groove 0.5 x 90°

Profile lengths 6000mm, undrilled powder-coated aluminum



WALL/ROOFING ACCESSORIES

	max. L (mm)	DIM a	Item no.		
			undrilled	pre-drilled	
	Z-section	4000	47	1000987	1000988
	of galvanized sheet steel	6000	62	1000989	1000990
	with paint finish	6000	82	1000991	1000992
		6000	102	1000993	1000994
		6000	122	1000995	1000996
		6000	142	1000997	1000998
		6000	172	1000999	1001000
		6000	202	1001001	1001002
		6000	222	1001003	1001004
		DIM a	RAL	Item no.	
	Point suspension	200/400	9001	1001064 / 1001067	
	for ceiling elements consisting of: 120mm load	200/400	9002	1001063 / 1001066	
	distributing plate and V2A suspension bolt with	200/400	9010	1001065 / 1001068	
	M10 right-hand thread and domed nut				
	Load distributing plate 120mm		9001	1001069	
			9002	1001070	
			9010	1001071	
		DIM a		Item no.	
	Ceiling suspension consists of:			Left-hand	Right-hand
	Aluminum T-profile, 60/100/4mm, natural			thread	thread
	anodized finish, 6000mm long, with 5 suspension	230		1005608	1005610
	connectors and threaded rods M10 made from	330		1005611	1005612
	stainless steel, Aluminum connecting strap	430		1005613	1005614
	Suspension spacing = 1200mm	1070		1005615	1005616
	Suspension set consist of:	230		1001049	1001050
	suspension connector and threaded rods M10	330		1001053	1001054
	made from stainless steel, locknut M10,	430		1001057	1001058
	hexagonal nut M10 x 18mm and spring washer	1070		1001059	1001060
Suspension connector without accessories				1001122	1001123
	Galvanized clamping sleeves				1003851
	with right- and left-hand thread, M10 x 80mm				1003846
	Galvanized threaded pins , 1000mm long, right-hand thread				
	Threaded pins , V2A, 1000mm long			1003848	1003847
	Hexagonal nut , V2A			1003843	1003842
	Domed nut , V2A, right-hand				1003844
	Threaded sleeve , M10 x 40mm				1003845
	Hexagon cap screw M10 x 18mm A2				1004005
Spring washer , V2A, M10				1001934	
Aluminum T-rail 60/100/4mm, predrilled for suspension point, in length of 6000mm (Item no. undrilled 1000759)					1005580
Joint bars 50/5/300mm, with fitting material					1001046
Joint bars 50/5/300mm, without fitting material					1001047

ACCESSORIES

	Item no.
Flat sheet with protective film: width 1250mm, max. length 6000mm	
0.6mm galvanized sheet steel, standard paint colors	1002241
0.75mm galvanized sheet steel, RAL 3009, 7016, 9001, 9002, 9006, 9007, 9010	1002242
0.6mm galvanized sheet steel, customized paint colors	1002243
0.6mm galvanized sheet steel, with 150 µm hard PVC film, RAL 9001, 9010	1002244
0.7mm aluminum, painted RAL 9001, 9006	1002245
	Item no.
ROMASIL silicone sealer in 310ml cartridges, RAL 9002	1000731
ROMASIL silicone sealer in 310ml cartridges, transparent	1003947
ROMAPLAST sealer in 600ml foil pouches, light gray	1003950
OTTOCOLL adhesive and sealant in 310ml cartridges, silicone-free, light gray	1003970
Touch-up paint, ROMA color chart, 1000ml	Item no. on request
Spray paint cans, ROMA color chart, 400ml	Item no. on request
Polyurethane foam, single component, 600ml	1003949
Touch-up filler for hard PVC film, RAL 9001, 1000ml	1003951
Touch-up filler for hard PVC film, RAL 9007, 1000ml	1004681
Touch-up filler for hard PVC film, RAL 9010, 1000ml	1004680
HSS twist drills, 5.8 x 205mm, right-hand cut, spiral length 30mm	1003876
HSS twist drills, 5.8 x 260mm, right-hand cut, spiral length 30mm	1003877
Pitch-coated sealing tape, 75mm wide with aluminum backing, in 10m rolls	1000134
	Item no.
Cheese-head self-tapping screw V2A, DIN 7981, recessed head, 3.9 x 16mm, pack of 1000 pieces	1003849
Recessed countersunk screw, V2A, DIN 7982, flat head, 4.8 x 45mm, pack of 500 units	1003850
Hexagon cap screw, V2A, M 10 x 25mm, DIN 933, with hexagonal nut M10 and lock washer, pack of 100 units	1003875
	Item no.
Aluminum rivet with stainless pin, DIN 7337, pack of 500 units	
ø 4 x 10mm	1003853
ø 5 x 10mm	1003855
ø 4 x 10mm, finished RAL 9002	1003854

ACCESSORIES

		DIM a	Item no.
	Stainless steel retaining screw	40	1003856
	with sealing washer	64	1003857
	for steel substructure	90	1003858
	St. 37 - St. 52	115	1003859
	s ≥ 2mm	127	1003860
		152	1003861
		178	1003862
		220	1003863
		265	1003864
	Stainless steel retaining screw	25	1003865
	with sealing washer	32	1003866
	for steel substructure	64	1003868
	St. 37	90	1003867
	s ≤ 2mm	115	1003869
	and wooden construction	127	1003870
		152	1003871
		178	1003872
		215	1003873
		250	1003874
Mounting strap "A" (M -> FV), 15/20/5mm, 150mm long		1003884	
Mounting strap "B" (FV -> M), 12/12/20/5mm, 150mm long		1003885	
Load distribution plate, 8/28/5mm, 150mm long		1003886	



For more information, please visit
our website:
www.roma-daemmsysteme.de

Romakowski GmbH & Co. KG
Herdweg 31
86647 Buttenwiesen, Germany
Phone +49 (0) 8274.999-0
Fax +49 (0) 8274.999-150
info@roma-daemmsysteme.de